

Phthalate Standards



AccuStandard[®]

Phthalates

Benzene dicarboxylic acid is equivalent to phthalic acid. Reacting phthalic acid with a variety of alcohols results in the synthesis of a group of chemicals designated as phthalic acid esters or phthalates.

Phthalates are used primarily as plasticizers. Plasticizers lower the glass transition temperature of a plastic/polymer and impart flexibility, durability and longevity to these types of products by acting as softening agents.

Due to their low-cost, versatility and effectiveness, phthalates are widely used in plastics manufacturing, in pharmaceutical coatings, in all types of packaging, in inks, in textiles and as gelling agents. They are end-use components of electronics, paints, adhesives, building materials, cleaning products and toys to name just a few.

Phthalates are now separated into two distinct classes according to the length of the precursor alcohol. The lower molecular weight (LMW) phthalates, including di-butyl, benzyl butyl and diethyl hexyl are made from alcohols with three to six carbon backbones.

Unfortunately, the LMW phthalates are easily released into the environment because there is no chemical bond between the phthalates and the plastic/polymer matrix. Leaching and atmospheric release of these compounds increases as the substrate ages and/or weathers; and has resulted in phthalates becoming a major environmental contaminant. This is important because phthalates are considered to be potential endocrine-disrupting agents (1). Human exposure to phthalates may be through direct contact, ingestion or inhalation. Concern over the adverse health effects has prompted regulatory changes and lead to a permanent ban of these plasticizers in baby-care products and toys.


Such a large-scale health concern has led to the development of analytical methods for phthalates in a variety of matrices. The majority of these methods focus on the analysis of the LMW phthalates ranging from mono/diethyl to mono/dioctyl and, in particular, dibutyl and diethyl hexyl phthalates (2). Diethyl hexyl phthalate has been the dominant plasticizer and is the largest volume phthalate in the global market. It is used as a standard for comparison for the performance of other types of plasticizers.

All of the above-mentioned phthalates are single isomer compounds which can be analyzed via straight-forward GC/MS methods yielding a single chromatographic peak for each compound.

1. S. Jobling et al., *Environ. Health Perspect.*, **103** (6), 582-587 (1995)
2. H. Fromme et al., *Water Research*, **36** (6), 1429-1438 (2002)

9 New
Phthalates


Benzyl butyl phthalate



CAS 85-68-7 MF C₁₉H₂₀O₄ MW 312.26 PS L
SG 1.13 g/cm³ MP <25 °C BP 370-380 °C
FP 198 °C

Matrix	Cat. No.	Unit
100 µg/mL in MeOH	APP-9-034	1 mL
5 mg/mL in MeOH	AS-E0065	1 mL


Diallyl phthalate



CAS 131-17-9 MF C₁₄H₁₄O₄ MW 246.26 PS L
SG 1.11 g/cm³ MP 16 °C BP 165 °C FP 165 °C

Matrix	Cat. No.	Unit
NEAT	J-002	100 mg


Dibutyl phthalate



CAS 84-74-2 MF C₁₆H₂₂O₄ MW 278.34 PS L
SG 1.05 g/cm³ MP -35 °C BP 337-340 °C
FP 177 °C

Matrix	Cat. No.	Unit
NEAT	J-003	100 mg
100 µg/mL in MeOH	APP-9-063	1 mL
1 mg/mL in MeOH	APP-9-063-10X	1 mL
5 mg/mL in MeOH	AS-E0066	1 mL


Dicyclohexyl phthalate



CAS 84-61-7 MF C₂₀H₂₆O₄ MW 330.42 PS S
SG 1.14 g/cm³ MP 61-66 °C BP 235 °C
FP 207 °C

Matrix	Cat. No.	Unit
NEAT	J-004	100 mg
1 mg/mL in AcCN	AS-E0318	1 mL


Diethyl phthalate



CAS 84-66-2 MF C₁₂H₁₄O₄ MW 222.24 PS L
SG 1.12 g/cm³ MP -3 °C BP 172 °C FP 160 °C

Matrix	Cat. No.	Unit
NEAT	J-005	100 mg
100 µg/mL in MeOH	APP-9-081	1 mL
1 mg/mL in MeOH	APP-9-081-10X	1 mL
5 mg/mL in MeOH	AS-E0068	1 mL

Diisohexyl phthalate




CAS 71850-09-4 MF C₂₀H₃₀O₄ MW 334.45
PS L SG 1.01 g/cm³ MP <25 °C BP 370 °C
FP 180 °C

Matrix	Cat. No.	Unit
NEAT	J-007	100 mg

Phthalates


Diisopentyl phthalate **NEW**



CAS 605-50-5 MF C₁₈H₂₆O₄ MW 306.40 PS L
SG 1.03 g/cm³ FP 167 °C

Matrix	Cat. No.	Unit
NEAT	J-127	100 mg


Dimethyl isophthalate



CAS 1459-93-4 MF C₁₀H₁₀O₄ MW 194.18 PS S
SG 1.18 g/cm³ MP 64-68 °C BP 282-285 °C
FP 148 °C

Matrix	Cat. No.	Unit
NEAT	J-009	100 mg


Dimethyl phthalate



CAS 131-11-3 MF C₁₀H₁₀O₄ MW 194.18 PS L
SG 1.19 g/cm³ MP 2-6 °C BP 282-284 °C
FP 295 °C

Matrix	Cat. No.	Unit
NEAT	J-010	100 mg
100 µg/mL in MeOH	APP-9-088	1 mL
1 mg/mL in MeOH	APP-9-088-10X	1 mL
5 mg/mL in MeOH	AS-E0069	1 mL
0.1 mg/mL in EtOAc	M-8032-IS	1 mL


Diphenyl isophthalate



CAS 744-45-6 MF C₂₀H₁₄O₄ MW 318.32 PS S
SG 1.24 g/cm³ MP 136-138 °C FP 256 °C

Matrix	Cat. No.	Unit
NEAT	J-012	100 mg

Diphenyl phthalate




CAS 84-62-8 MF C₂₀H₁₄O₄ MW 318.32 PS S
SG 1.24 g/cm³ MP 74-76 °C BP 255 °C FP 256 °C

Matrix	Cat. No.	Unit
NEAT	J-013	100 mg

bis(2-Ethylhexyl)phthalate (DEHP)


Di(2-Ethylhexyl) phthalate



CAS 117-81-7 MF C₂₄H₃₈O₄ MW 390.56 PS L
SG 0.98 g/cm³ MP -50 °C BP 361 °C FP 204 °C

Matrix	Cat. No.	Unit
100 µg/mL in MeOH	APP-9-029	1 mL
1 mg/mL in MeOH	APP-9-029-10X	1 mL


Isobutyrcyclohexyl phthalate



CAS 5334-09-8 MF C₁₈H₂₄O₄ MW 304.38 PS L
SG 1.11 g/cm³ BP 380-382 °C FP 181 °C

Matrix	Cat. No.	Unit
NEAT	J-014	100 mg

bis(4-Methyl-2-pentyl)phthalate **NEW**



CAS 146-50-9 MF C₂₀H₃₀O₄ MW 334.45 PS L
SG 1.01 g/cm³ BP 370-380 °C FP 180 °C

Matrix	Cat. No.	Unit
NEAT	J-109	100 mg

Property Key


CAS	Chemical Abstract Service Number	SG	Specific Gravity (g/cm ³)
MF	Molecular Formula	MP	Melting Point (°C)
MW	Molecular Weight	BP	Boiling Point (°C)
PS	Physical State (Solid, Liquid)	FP	Flash Point (°C)

Monophthalates

Mono-phthalate esters are the primary phthalate metabolites formed via hydrolysis of one ester bond. It is these compounds that are thought to be toxic agents; and are receiving interest as a possible human health issue. Studies have shown that they can produce estrogenic and immune-suppressive effects in humans.

AccuStandard offers eight mono-phthalates including the mono-ethylhexyl (mEHP) which is the metabolite of the plasticizer with the greatest yearly production and use on a global basis.


Monobutyl phthalate (mBP)



CAS 131-70-4 MF C₁₂H₁₄O₄ MW 222.24 PS S
 SG 1.17 g/cm³ MP 73 °C BP 350-354 °C
 FP 138 °C

Matrix	Cat. No.	Unit
NEAT	ALR-135N	100 mg
100 µg/mL in AcCN	ALR-135S-CN	1 mL


Monoethyl phthalate (mEP)



CAS 2306-33-4 MF C₁₀H₁₀O₄ MW 194.18 PS S
 SG 1.24 g/cm³ MP 101 °C BP 329 °C FP 135 °C

Matrix	Cat. No.	Unit
NEAT	ALR-137N	100 mg
100 µg/mL in AcCN	ALR-137S-CN	1 mL


Monoethylhexyl phthalate (mEHP)



CAS 4376-20-9 MF C₁₆H₂₂O₄ MW 278.34 PS S
 SG 1.09 g/cm³ MP 142 °C BP 390-395 °C
 FP 144 °C

Matrix	Cat. No.	Unit
NEAT	ALR-138N	100 mg
100 µg/mL in AcCN	ALR-138S-CN	1 mL


Monomethyl phthalate



CAS 4376-18-5 MF C₉H₈O₄ MW 180.16 PS S
 SG 1.29 g/cm³ MP 81-84 °C BP 315-316 °C
 FP 135 °C

Matrix	Cat. No.	Unit
NEAT	ALR-139N	100 mg
100 µg/mL in AcCN	ALR-139S-CN	1 mL


Monoheptyl phthalate NEW



CAS 24539-57-9 MF C₁₄H₁₈O₄ MW 250.29 PS S
 SG 1.12 g/cm³ MP 133 °C BP 375-380 °C
 FP 142 °C

Matrix	Cat. No.	Unit
NEAT	ALR-175N	100 mg
100 µg/mL in AcCN	ALR-175S-CN	1 mL


Monooctyl phthalate NEW



CAS 5393-19-1 MF C₁₆H₂₂O₄ MW 278.34 PS S
 SG 1.09 g/cm³ MP 149 °C BP 400 °C FP 146 °C

Matrix	Cat. No.	Unit
NEAT	ALR-141N	100 mg
100 µg/mL in AcCN	ALR-141S-CN	1 mL


Monoisononyl phthalate NEW



CAS N/A MF C₁₇H₂₄O₄ MW 292.37 PS S

Matrix	Cat. No.	Unit
NEAT	ALR-142N	100 mg
100 µg/mL in AcCN	ALR-142S-CN	1 mL

Mono-2-heptyl phthalate NEW



CAS N/A MF C₁₅H₂₀O₄ MW 264.32 PS S

Matrix	Cat. No.	Unit
NEAT	ALR-143N	100 mg
100 µg/mL in AcCN	ALR-143S-CN	1 mL

Property Key

CAS	Chemical Abstract Service Number	SG	Specific Gravity (g/cm ³)
MF	Molecular Formula	MP	Melting Point (°C)
MW	Molecular Weight	BP	Boiling Point (°C)
PS	Physical State (Solid, Liquid)	FP	Flash Point (°C)

Phthalates - Mixed Isomers

The high molecular weight (HMW) phthalates have more than six carbons in the backbone; and are synthesized from phthalic acid and mixtures of C9 and C10 alcohols. The two major HMW products are diisononyl phthalate (DINP) and diisodecyl phthalate (DIDP).

Attention has now turned to the analysis of these compounds as they are becoming major players in the plasticizer marketplace. However, due to the synthesis process, GC separation of DINP and DIDP results in a cluster of peaks corresponding to different isomers. Consequently, different analytical approaches based on soft ionization techniques and MS detection have been documented in the literature (1). These new approaches can provide another tool to scrutinize the amounts, environmental fate and potential health effects of these HMW plasticizers.


1. David, F., Sandra, P. and Hancock, P., *Current Trends in Mass Spectrometry*, May 2011)

Compound	Matrix	CAS No.	Cat. No.	Unit
Alkyl benzyl phthalate (C7 to C9) (Santicizer® 261)	NEAT	68515-40-2	PLAS-PL-005N	50 mg
			1000 µg/mL in Hexane	1 mL
Didecyl phthalate (Tech Mix) NEW	NEAT	84-77-5	J-120	100 mg
Diisodecyl phthalate	NEAT	26761-40-0	J-006	100 mg
Diisoheptyl phthalate (Jayflex® 77)	NEAT	71888-89-6	PLAS-PL-017N	50 mg
			1000 µg/mL in Hexane	1 mL
Diisooctyl phthalate (C8 Isomers)		27554-26-3	J-008	100 mg
Di-n-octyl phthalate (Tech Mix)		117-84-0	J-011	100 mg
			100 µg/mL in MeOH	1 mL
			5 mg/mL in MeOH	1 mL
Dinonyl phthalate (Tech Mix) NEW	NEAT	84-76-4	J-105	100 mg
Hexyl-2-ethylhexyl phthalate (Tech Mix) NEW	NEAT	75673-16-4	J-016	100 mg
n-Octyl n-decyl phthalate (Tech Mix)	NEAT	119-07-3	J-015	100 mg
Diisononyl phthalate (C8 to C10 Isomers)	NEAT	68515-48-0	ALR-102N	100 mg
			100 µg/mL in MeOH	1 mL

Deuterated Phthalates

AccuStandard offers eleven deuterated phthalates which can be used as internal standards. To simplify the ordering process, the native and the corresponding deuterated compound are packaged as sets at a reduced price


Dibenzylphthalate-d₄



CAS 1015854-62-2 MF C₂₂H₁₄D₄O₄ MW 350.40
PS S MP 40-42 °C BP 276-278 °C

Matrix	Cat. No.	Unit
NEAT	PHTH-D4-001N	5 mg
100 µg/mL in MeOH	PHTH-D4-001S	1 mL


Di-n-butyl phthalate-d₄



CAS 93952-11-5 MF D₁₆H₁₆D₄O₄ MW 282.37 PS L
SG 1.07 g/cm³ MP < 25 °C BP 336 °C FP 171 °C

Matrix	Cat. No.	Unit
NEAT	PHTH-D4-002N	5 mg
100 µg/mL in MeOH	PHTH-D4-002S	1 mL


Di-iso-butyl phthalate-3,4,5,6-d₄



CAS 358730-88-8 MF C₁₆H₁₈D₄O₄ MW 282.37 PS L
BP 327 °C FP 109 °C

Matrix	Cat. No.	Unit
NEAT	PHTH-D4-003N	5 mg
100 µg/mL in MeOH	PHTH-D4-003S	1 mL


Dicyclohexyl phthalate-3,4,5,6-d₄



CAS 358731-25-6 MF C₂₀H₂₂D₄O₄ MW 334.44 PS S
SG 1.16 g/cm³ FP 207 °C

Matrix	Cat. No.	Unit
NEAT	PHTH-D4-004N	5 mg
100 µg/mL in MeOH	PHTH-D4-004S	1 mL


Diethyl phthalate-3,4,5,6-d₄



CAS 93952-12-6 MF C₁₂H₁₀D₄O₄ MW 226.26 PS L
SG 1.14 g/cm³ MP -3 °C FP 160 °C

Matrix	Cat. No.	Unit
NEAT	PHTH-D4-005N	5 mg
100 µg/mL in MeOH	PHTH-D4-005S	1 mL


Di-n-hexyl phthalate-3,4,5,6-d₄



CAS 1015854-55-3 MF C₂₀H₂₆D₄O₄ MW 338.47
PS L SG 1.01 g/cm³ BP 185-187 °C

Matrix	Cat. No.	Unit
NEAT	PHTH-D4-006N	5 mg
100 µg/mL in MeOH	PHTH-D4-006S	1 mL


Dimethyl phthalate-3,4,5,6-d₄



CAS 93951-89-4 MF C₁₀H₈D₄O₄ MW 198.21 PS L
SG 1.20 g/cm³ MP 2 °C BP 282 °C FP 147 °C

Matrix	Cat. No.	Unit
NEAT	PHTH-D4-007N	5 mg
100 µg/mL in MeOH	PHTH-D4-007S	1 mL


Di-n-octyl phthalate-3,4,5,6-d₄



CAS 93952-13-7 MF C₂₄H₃₄D₄O₄ MW 394.58 PS L
SG 0.96 g/cm³ MP -50 °C BP 390 °C FP 205 °C

Matrix	Cat. No.	Unit
NEAT	PHTH-D4-008N	5 mg
100 µg/mL in MeOH	PHTH-D4-008S	1 mL


Di-n-pentyl phthalate-3,4,5,6-d₄



CAS 358730-89-9 MF C₁₈H₂₂D₄O₄ MW 310.42 PS L
BP 360 °C FP >110 °C

Matrix	Cat. No.	Unit
NEAT	PHTH-D4-009N	5 mg
100 µg/mL in MeOH	PHTH-D4-009S	1 mL


Di-n-propyl phthalate-3,4,5,6-d₄



CAS 358731-29-0 MF C₁₄H₁₄D₄O₄ MW 254.31 PS L
SG 1.08 g/cm³ BP 317-318 °C FP >110 °C

Matrix	Cat. No.	Unit
NEAT	PHTH-D4-010N	5 mg
100 µg/mL in MeOH	PHTH-D4-010S	1 mL

bis(2-Ethylhexyl) phthalate-3,4,5,6-d₄



CAS 93951-87-2 MF C₂₄H₃₄D₄O₄ MW 394.58 PS L
SG 0.98 g/cm³ MP -50 °C BP 384 °C FP 207 °C

Matrix	Cat. No.	Unit
NEAT	PHTH-D4-011N	5 mg
100 µg/mL in MeOH	PHTH-D4-011S	1 mL

Set include 11 Deuterated Phthalates

Neat Set	PHTH-D4N-SET	11 x 5 mg
Solution Set	PHTH-D4S-SET	11 x 1 mL

Other compounds are available.
contact our Technical Service if you
require additional deuterated or other
labeled compounds.

EPA Method - Phthalate Standards

Method 506 Phthalate Esters by PID

Phthalate Esters

M-506 1 x 1 mL
M-506-PAK **SAVE** 5 x 1 mL
 1.0 mg/mL each in Isooctane 7 comps.

Benzyl butyl phthalate	bis(2-Ethylhexyl)adipate
Dimethyl phthalate	bis(2-Ethylhexyl)phthalate
Diethyl phthalate	Di-n-octyl phthalate
Di-n-butyl phthalate	

M-506-QC 1 x 1 mL
M-506-QC-PAK **SAVE** 5 x 1 mL
 At stated conc. in MeOH 7 comps.

Benzyl butyl phthalate (0.25 mg/mL)	bis(2-Ethylhexyl)adipate (1.2 mg/mL)
Dimethyl phthalate (0.1 mg/mL)	bis(2-Ethylhexyl)phthalate (0.25 mg/mL)
Diethyl phthalate (0.1 mg/mL)	Di-n-octyl phthalate (0.65 mg/mL)
Di-n-butyl phthalate (0.1 mg/mL)	

Method 606 Phthalate Esters by GC/ECD

M-606 1 x 1 mL
M-606-PAK **SAVE** 5 x 1 mL
 0.2 mg/mL each in MeOH 6 comps.

Benzyl butyl phthalate	Di-n-butyl phthalate
Dimethyl phthalate	Di-n-octyl phthalate
Diethyl phthalate	bis(2-Ethylhexyl)phthalate

Method 8060 Phthalate Esters by GC/ECD

M-8060 1 x 1 mL
M-8060-PAK **SAVE** 5 x 1 mL
 2.0 mg/mL each in Isooctane 6 comps.

Benzyl butyl phthalate	Di-n-butyl phthalate
Diethyl phthalate	Di-n-octyl phthalate
Dimethyl phthalate	bis(2-Ethylhexyl)phthalate

M-8060-QC 1 x 1 mL
M-8060-QC-PAK **SAVE** 5 x 1 mL
 At stated conc. in MeOH 6 comps.

Benzyl butyl phthalate (0.1 mg/mL)	Di-n-butyl phthalate (0.25 mg/mL)
Diethyl phthalate (0.25 mg/mL)	Di-n-octyl phthalate (0.5 mg/mL)
Dimethyl phthalate (0.25 mg/mL)	bis(2-Ethylhexyl)phthalate (0.5 mg/mL)

Phthalates Solution Set

Set of 17 Phthalate Solutions **ALR-PHT-SET** 17 x 1 mL
 Each at 100 µg/mL Concentration S in MeOH, S-CN in AcCN

Compound	CAS No.	Cat. No.	Unit
Benzyl butyl phthalate	85-68-7	ALR-082S	1 mL
Diamyl phthalate	131-18-0	ALR-098S	1 mL
Dicyclohexyl phthalate	84-61-7	ALR-099S	1 mL
Di(2-ethyl hexyl) phthalate (DEHP)	117-81-7	ALR-097S	1 mL
Diethyl phthalate	84-66-2	ALR-110S	1 mL
Di-hexyl phthalate	84-75-3	ALR-100S	1 mL
Diisodecyl phthalate	26761-40-0	ALR-101S	1 mL
Diisononyl phthalate	68515-48-0	ALR-102S	1 mL
Diisooctyl phthalate	27554-26-3	ALR-103S	1 mL
Dimethyl phthalate (DMP)	131-11-3	ALR-111S	1 mL
Di-n-butyl phthalate (DBP)	84-74-2	ALR-104S	1 mL
Di-n-octyl phthalate	117-84-0	ALR-105S	1 mL
Monobenzyl phthalate (mBzP)	2528-16-7	ALR-134S-CN	1 mL
Monobutyl phthalate (mBP)	131-70-4	ALR-135S-CN	1 mL
Monoethyl phthalate (mEP)	2306-33-4	ALR-137S-CN	1 mL
Monoethylhexyl phthalate (mEHP)	4376-20-9	ALR-138S-CN	1 mL
Monomethyl phthalate	4376-18-5	ALR-139S-CN	1 mL

Although not strictly allergens, phthalates in cosmetics are toxic and suspected carcinogens.

Method 8061A Phthalate Esters by GC/ECD

Phthalate Esters

M-8061-R1 1 x 1 mL
M-8061-R1-PAK **SAVE** 5 x 1 mL
 1.0 mg/mL each in Hexane 15 comps.

bis(2-n-Butoxyethyl)phthalate	Dimethyl phthalate
Butyl benzyl phthalate	Dinonyl phthalate
Diamyl phthalate	Di-n-octyl phthalate
Di-n-butyl phthalate	bis(2-Ethoxyethyl)phthalate
Dicyclohexyl phthalate	bis(2-Ethylhexyl)phthalate
Diethyl phthalate	bis(2-Methoxyethyl)phthalate
Dihexyl phthalate	bis(4-Methyl-2-pentyl)phthalate
Diisobutyl phthalate	

M-8061A 1 x 1 mL
M-8061A-PAK **SAVE** 5 x 1 mL
 1.0 mg/mL each in Hexane 6 comps.

Butyl benzyl phthalate	Diethyl phthalate
bis(2-Ethylhexyl)phthalate	Dimethyl phthalate
Di-n-butyl phthalate	Di-n-octyl phthalate

Matrix Spike Solution

M-8061A-MS 1 x 1 mL
M-8061A-MS-PAK **SAVE** 5 x 1 mL
 2.0 mg/mL each in Acetone 2 comps.

Butyl benzyl phthalate	bis(2-Ethylhexyl)phthalate
------------------------	----------------------------

Internal Standard

M-8061-IS 1 x 1 mL
M-8061-IS-PAK **SAVE** 5 x 1 mL
 5.0 mg/mL in Hexane

Butyl benzoate

Surrogate Standards

M-8061-SS 1 x 1 mL
M-8061-SS-PAK **SAVE** 5 x 1 mL
 50 µg/mL each in Acetone

M-8061-SS-10X 1 x 1 mL
M-8061-SS-10X-PAK **SAVE** 5 x 1 mL
 500 µg/mL each in Acetone 3 comps.

Dibenzyl phthalate	Diphenyl phthalate
Diphenyl isophthalate	

Phthalate Esters Kit

PS-840C-R1-SET 15 vials
 Neats at 1 mL each.


- (01) Dimethyl phthalate
 - (02) Diethyl phthalate
 - (03) Di-n-propyl phthalate
 - (04) Di-iso-propyl phthalate
 - (05) Di-n-butyl phthalate
 - (06) Di-iso-butyl phthalate
 - (07) Dipentyl phthalate
 - (08) Dihexyl phthalate
 - (09) Diheptyl phthalate
 - (10) Dioctyl phthalate
 - (11) Dinonyl phthalate
 - (12) Didecyl phthalate
 - (13) Diundecyl phthalate
 - (14) Didodecyl phthalate
 - (15) Phthalate Mixture PS-84C
- Neat at stated weight %
- | | |
|-----------------------|-------|
| Dimethyl phthalate | 16.7% |
| Diethyl phthalate | 16.7% |
| Di-n-propyl phthalate | 33.3% |
| Di-n-butyl phthalate | 33.3% |

Calibration Mixture

PS-84C-1ML 1 mL vial
 Neat at the stated weight %

Neat at stated weight %

Dimethyl phthalate	16.7%
Diethyl phthalate	16.7%
Di-n-propyl phthalate	33.3%
Di-n-butyl phthalate	33.3%



AccuStandard[®]

ISO Guide 34 • 17025 • 9001

AccuStandard.com